

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended) A user authentication method for checking whether a user is qualified for using a service provided through a network, comprising:

a step of registration of user authentication information₁ to register a numerical calculation method₁ designated by said user and being specific to said user₁ as said user authentication information together with user identification information corresponding to said user; and

a step of judging to perform user authentication, wherein when said user identification information is transmitted from said user through said network to a service providing site₁ and an arbitrary numeric value is transmitted from said service providing site through said network to said user, a determination of whether a first calculation result, which is obtained by said user by using said arbitrary numeric value in said registered numerical calculation method, which has been and is transmitted from said user through said network to said service providing site₁ agrees with equals a second calculation result which is obtained by said service providing site by applying said arbitrary numeric value to said registered numerical calculation method₁ to perform user authentication

wherein, when said first calculation result equals said second calculation result, said user is authorized.

2. (currently amended) A user authentication method for checking whether a user is qualified for using a service provided through a network, comprising:

a step of registration of user authentication information₁ to register a numerical calculation method₁ designated by said user through said network and being specific to said user₁ as said user authentication information together with user identification information corresponding to said user; and

a step of judging to perform user authentication, wherein when said user identification information is transmitted from said user through said network to a service providing site₁ and an arbitrary numeric value is transmitted from said service providing site through said network to said user₁, ~~and~~ a first calculation result corresponding to said arbitrary numeric value is obtained by said user using said registered numerical calculation method and is transmitted from said user through said network to said service providing site, and a determination of whether said first calculation result ~~agrees with~~ equals a second calculation result₁, which is obtained by said service providing site by applying said arbitrary numeric value to said registered numerical calculation method₁, ~~to perform said user authentication,~~

wherein, when said first calculation result equals said second calculation result, said user is authorized.

3. (currently amended) A network system comprising:

one or a plurality of user terminals by which a user transmits a numerical calculation method, being specific to said user, together with user identification information corresponding to said user, through a network to a service providing site, and said one or plurality of user terminals transmits a first calculation result obtained by applying a given numeric value to said numerical calculation method through said network to said service providing site; and

one or a plurality of service providing sites to register said numerical calculation method together with said user identification information corresponding to said user, to transmit an arbitrary numeric value through said network to said user terminal when said user identification information is transmitted from said user terminal through said network and to judge, when said first calculation result corresponding to said arbitrary numeric value is transmitted from said user terminal through said network, whether said first calculation result ~~agrees with~~ equals a second calculation result which is obtained by said one or plurality of service providing sites by applying said arbitrary numeric value to said registered numerical calculation method, to perform said user authentication.

4. (original) The network system according to Claim 3, wherein said user terminal has a function of displaying said arbitrary numeric value transmitted from said service providing site.

5. (original) The network system according to Claim 3, wherein said user terminal has a function of outputting, by voice, said arbitrary numeric value transmitted from said service providing site.

6. (original) The network system according to Claim 3, wherein said user terminal is made up of a portable cellular phone or a personal digital assistant, having a function of displaying said arbitrary numeric value transmitted from said service providing site.

7. (original) The network system according to Claim 3, wherein said user terminal is made up of a portable cellular phone or a personal digital assistant, having a function of outputting, by voice, said arbitrary numeric value transmitted from said service providing site.

8. (original) The network system according to Claim 3, wherein said first calculation result is input by voice of said user to said user terminal and is transmitted through said network to said service providing site and wherein said service providing site has a function of performing voice recognition of said first calculation result.

9. (currently amended) A storage medium storing a control program to have a computer carry out a user authentication method for checking whether a user is qualified for using a service provided through a network, said method comprising:

a step of registration of user authentication information₁ to register a numerical calculation method₁ designated by said user and being specific to said user₁ as said user authentication information together with user identification information corresponding to said user; and

a step of judging to perform user authentication, wherein when said user identification information is transmitted from said user through said network to a service providing site₁ and an arbitrary numeric value is transmitted from said service providing site through said network to said user, a determination of whether a first calculation result₁ which is obtained by said user₁ by using said arbitrary numeric value in said registered numerical calculation method₁ which has been and is transmitted from said user through said network to said service providing site₁ agrees with equals a second calculation result which is obtained by said service providing site₁ by applying said arbitrary numeric value to said registered numerical calculation method₁ to perform user authentication

wherein, when said first calculation result equals said second calculation result, said user is authorized.

10. (currently amended) A storage medium storing a control program to have a computer carry out a user authentication method for checking whether a user is qualified for using a service provided through a network, said method comprising:

a step of registration of user authentication information₁ to register a numerical calculation method₁ designated by said user through said network and being specific to said user₁ as said user authentication information together with user identification information corresponding to said user; and

a step of judging to perform user authentication, wherein when said user identification information is transmitted from said user through said network to a service providing site₁ and an arbitrary numeric value is transmitted from said service providing site through said network to said user₁, ~~and~~ a first calculation result corresponding to said arbitrary numeric value is obtained by said user using said registered numerical calculation method and is transmitted from said user through said network to said service providing site, and a determination of whether said first calculation result ~~agrees with~~ equals a second calculation result₁, which is obtained by said service providing site by applying said arbitrary numeric value to said registered numerical calculation method₁, ~~to perform said user authentication,~~

wherein, when said first calculation result equals said second calculation result, said user is authorized.

11. (currently amended) A storage medium storing a control program to have a computer carry out a network system comprising:

one or a plurality of user terminals by which a user transmits a numerical calculation method₁ being specific to said user₁ together with user identification information corresponding to said user₁ through a network to a service providing site₁ and said one or plurality of user terminals transmits a first calculation result obtained by applying a given numeric value to said numerical calculation method through said network to said service providing site; and

one or a plurality of service providing sites to register said numerical calculation method together with said user identification information corresponding to said user, to transmit an arbitrary numeric value through said network to said user terminal when said user identification information is transmitted from said user terminal through said network and to judge, when said first calculation result corresponding to said arbitrary numeric value is transmitted from said user terminal through said network, whether said first calculation result ~~agrees with~~ equals a second calculation result which is obtained by said one or plurality of service providing sites by applying said arbitrary numeric value to said registered numerical calculation method₁ to perform said user authentication.

12. (new) The user authentication method according to claim 1, wherein during user authentication information registration, said service providing site supplies said user with a

plurality of numerical calculation methods and said user designates one of said plurality of numerical calculation methods to be the registered numerical calculation method.

13. (new) The user authentication method according to claim 2, wherein during user authentication information registration, said service providing site supplies said user with a plurality of numerical calculation methods and said user designates one of said plurality of numerical calculation methods to be the registered numerical calculation method.

14. (new) The storage medium according to claim 9, wherein during user authentication information registration, said service providing site supplies said user with a plurality of numerical calculation methods and said user designates one of said plurality of numerical calculation methods to be the registered numerical calculation method.

15. (new) The storage medium according to claim 10, wherein during user authentication information registration, said service providing site supplies said user with a plurality of numerical calculation methods and said user designates one of said plurality of numerical calculation methods to be the registered numerical calculation method.

16. (new) The user authentication method according to claim 1, wherein said registered numerical calculation method is a mathematical expression that is solved by said user and said service providing site, using said arbitrary numeric value provided by said service providing site.

17. (new) The user authentication method according to claim 2, wherein said registered numerical calculation method is a mathematical expression that is solved by said user and said service providing site, using said arbitrary numeric value provided by said service providing site.

18. (new) The network system according to claim 3, wherein said numerical calculation method and said registered numerical calculation method are a mathematical expression that is solved by said user and said service providing site, using said arbitrary numeric value provided by said service providing site.

19. (new) The storage medium according to claim 9, wherein said registered numerical calculation method is a mathematical expression that is solved by said user and said service providing site, using said arbitrary numeric value provided by said service providing site.

20. (new) The storage medium according to claim 10, wherein said registered numerical calculation method is a mathematical expression that is solved by said user and said service providing site, using said arbitrary numeric value provided by said service providing site.

21. (new) The storage medium according to claim 11, wherein said numerical calculation method and said registered numerical calculation method are a mathematical expression that is solved by said user and said service providing site, using said arbitrary numeric value provided by said service providing site.